

# MATERIAL SAFETY DATA SHEET

## 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** Uniplex 260

**Synonyms:** Glyceryl Tribenzoate, GTB, Tribenzoin

---

### MANUFACTURER:

Unitex Chemical Corporation  
520 Broome Road  
P.O. Box 16344  
Greensboro, NC 27406

### EMERGENCY TELEPHONE NUMBERS:

Emergency Telephone Number: CHEMTREC 1 (800) 424-9300  
International 1 (703) 527-3887  
Telephone Number for Information:  
(336) 378-0965 (Monday - Friday 8:00 a.m. - 5:00 p.m.)

## 2. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Components</u>	<u>% (optional)</u>	<u>OSHA PEL</u>	<u>ACGIH TLV</u>	<u>CAS NO.</u>
Glyceryl Tribenzoate	> 96%		Not established	614-33-5
Glyceryl Dibenzoate EEC (EINECS) No. 210-379-6.	< 4			

## 3. HAZARDS IDENTIFICATION

Emergency Overview: Do not breathe vapors; do not ingest; avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Do not eat, drink or smoke in work areas.

Potential Health Effects: May cause skin irritation. Inhalation of mist may cause irritation to the respiratory tract.

Eye Contact: May cause burning sensation, irritation accompanied with pain and corneal or conjunctival ulceration in severe cases.

Skin Contact: May cause irritation, stinging, redness and some swelling.

Ingestion: May cause severe burning in the mouth and digestive tract.

Chronic: Not known. LD<sub>50</sub> (rats) is greater than 11.7 g/Kg body weight. Approved for FDA use under 21 CFR 175.105 and other sections included by reference.

**Product Name: Uniplex 260**

---

#### **4. FIRST AID MEASURES**

Inhalation: Remove to fresh air if coughing, soreness in respiratory tract or difficulty in breathing occurs.

Eye Contact: Immediately flush with large quantities of water for at least 15 minutes, while holding eyelids open. Do not attempt to neutralize with chemical agents. Contact a physician if irritation persists.

Skin Contact: Immediately remove contaminated clothing and flush area with large quantities of water for at least 15 minutes. Contact a physician if irritation persists.

Ingestion: If patient is conscious, give several glasses of water for dilution effect and contact a physician. Do not induce vomiting. Do not give an unconscious person anything by mouth.

---

#### **5. FIRE FIGHTING MEASURES**

Flash Point: > 450°F (>232°C) Cleveland open cup.

General Hazard: Handle as burning oil. Dust from product may form an explosive mixture in air as with any organic material.

Fire Fighting Instructions: Extinguishing media - - water fog or spray, carbon dioxide, foam; or earth and mud.

Hazardous Combustion Products: Oxides of Carbon.

---

#### **6. ACCIDENTAL RELEASE MEASURES**

Land Spill: Scrape up spilled material and dispose in accordance with all local, state, and federal regulations. If molten, allow to solidify then scrape up spill.

Water Spill: Remove product layered on water by mechanical means. Place spill in appropriate container for disposal in approved facilities.

---

#### **7. HANDLING AND STORAGE**

Storage Temperature: Ambient                      Storage Pressure: Pressureless

General: Store in cool, dry, and well-ventilated area. Keep containers closed.

---

**Product Name: Uniplex 260**

---

## 8. EXPOSURE CONTROL/PERSONAL PROTECTION

Engineering Controls: Control to comfort level.

Personal Protection: Splash-proof goggles with rubber, PVC, or impervious chemical gloves.

Respirator: None required. Use NIOSH organic vapor cartridge respirator with dust caps for remediation of large spills.

Protective Clothing: Impervious chemical clothing for remediation of large spills.

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Vapor Pressure	: <u>0.01 mm Hg at 150°C</u>	Vapor Density (Air = 1)	: <u>ND</u>
Specific Gravity	: <u>1.26</u>	Evaporation Rate	: <u>ND</u>
Solubility in Water	: <u>Insoluble</u>	Freezing Point	: <u>Approx. 70°C</u>
pH	: <u>NA</u>	Odor	: <u>Mild</u>
Boiling Point	: <u>150°C at 0.01 mmHg</u>	Appearance	: <u>Off white solid</u>
Viscosity	: <u>ND</u>	Physical State	: <u>Solid</u>

---

## 10. STABILITY AND REACTIVITY

General: Stable

Incompatible Materials and Conditions to Avoid: None known.

Hazardous Decomposition: None known.

---

## 11. TOXICOLOGICAL INFORMATION

None established. Not listed as carcinogen by IARC, NTP, OSHA, or ACGIH.

---

## 12. ECOLOGICAL INFORMATION

This product is not classified as harmful to aquatic life and is highly biodegradable.

---

**Product Name: Uniplex 260**

---

### 13. DISPOSAL CONSIDERATIONS

This product is registered by TSCA. EINECS No. is 210-379-6. The product should be incinerated, according to state and Federal regulations.

---

### 14. TRANSPORT INFORMATION

Nonhazardous; not regulated by DOT. Uniplex 260 is not classified as dangerous under UK or International Regulations.

---

### 15. REGULATORY INFORMATION

This product is registered by TSCA. Uniplex 260 is not a hazardous substance as defined by OSHA (29 CFR 1910.1200). This product is not classified under CHIP Regulations for supply.

Safety Phrases:

- S 22 Do not breathe dust.
  - S 24/25 Avoid contact with skin and eyes.
  - S 37/39 Wear suitable gloves and eye protection.
- 

### 16. OTHER INFORMATION

No specific notes.

MSDS Status: Updated to ANS1 Z 400.1-1993 Format.

	HAZARD RATINGS	
	NFPA	HMIS
Health	1	1
Flammability	1	1
Reactivity	0	0

Revision Summary:

- 6/23/98 - J. Day
- 9/22/98 - J. Day (Correction)
- 5/11/04 – J. Day
- 2/04/08 – European Conversion per J. Day.