

MATERIAL SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: Uniplex 810
Synonyms: PEG 600 Dilaurate

MANUFACTURER:

Unitex Chemical Corporation
520 Broome Road
P.O. Box 16344
Greensboro, NC 27406

EMERGENCY TELEPHONE NUMBERS:

Emergency Telephone Number: CHEMTREC 1 (800) 424-9300
International 1 (703) 527-3887
Telephone Number for Information:
(336) 378-0965 (Monday - Friday 8:00 a.m. - 5:00 p.m.)

2. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Components</u>	<u>% (optional)</u>	<u>OSHA PEL</u>	<u>ACGIH TLV</u>	<u>CAS NO.</u>
PEG-600 Dilaurate	100	None Established		9005-02-1

3. HAZARDS IDENTIFICATION

Emergency Overview: Oily liquid--can burn in a fire. Slippery--can cause falls if spills are walked on.

Potential Health Effects: Inhalation: Exposure to mists of products should be avoided, but is not believed to present a hazard.

Eye Contact: May cause eye irritation.

Skin Contact: Not irritating.

Ingestion: This material should not be swallowed; but should present little hazard.

Chronic: Not expected to be a significant hazard.

Product Name: Uniplex 810

4. FIRST AID MEASURES

Inhalation: Remove to fresh air if breathing is affected; consult physician. No adverse effects are expected during proper industrial handling.

Eye Contact: Flush with water for at least five minutes. Consult physician if irritation persists.

Skin Contact: Wash with soap and water.

Ingestion: Consult physician if sufficient quantity is ingested to cause physical symptoms of nausea, pain, or other signs of discomfort.

5. FIRE FIGHTING MEASURES

Flash Point: 450°F (Cleveland Open Cup)

General Hazard: Not considered a fire hazard; but will burn if involved in fire.

Fire Fighting Instructions: Fire fighters should wear full protective equipment, including self-contained breathing apparatus. Extinguishing media include water fog or spray, carbon dioxide, dry chemical, foam, or earth/mud.

Hazardous Combustion Products: Products of combustion include compounds of carbon hydrogen, and oxygen, including carbon monoxide.

6. ACCIDENTAL RELEASE MEASURES

Land Spill: For large spills, contain with sand or earth. Prevent runoff from entering storm sewers and ditches which lead to natural waterways.

Water Spill: Contained spilled liquid with inert material such as sand, vermiculite, or other absorbent material. Sweep up and dispose of in accordance with all local, state, and federal regulations. This material forms a slippery surface on floors, posing an accident risk.

7. HANDLING AND STORAGE

Storage Temperature: Ambient Storage Pressure: Ambient

General: General warehousing conditions are satisfactory for this material.

Product Name: Uniplex 810

8. EXPOSURE CONTROL/PERSONAL PROTECTION

Engineering Controls: Good general ventilation should be sufficient for most conditions.

Personal Protection: Splash proof goggles are recommended when handling or transferring this material.

Respirator: Not required under normal handling conditions.

Protective Clothing: Gloves--protective rubber or vinyl are recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

Vapor Pressure	: ND	Vapor Density (Air = 1)	: ND
Specific Gravity	: 1.02 - 1.06	Evaporation Rate	: < 1 (Butyl Acetate = 1)
Solubility in Water	: Dispersible	Freezing Point	: ND
pH	: 5 - 9	Odor	: Mild waxy odor
Boiling Point	: ND	Appearance	: Waxy solid
Viscosity	: ND	Physical State	: Waxy solid

10. STABILITY AND REACTIVITY

General: This product is stable; hazardous polymerization will not occur.

Incompatible Materials and Conditions to Avoid: Strong oxidizing agents.

Hazardous Decomposition: None under normal conditions. If involved in fire, oxides of carbon may be released, including carbon dioxide and carbon monoxide.

11. TOXICOLOGICAL INFORMATION

No information available. Not listed as a carcinogen by IARC, NTP, OSHA or ACGIH.

12. ECOLOGICAL INFORMATION

No information available.

Product Name: Uniplex 810

13. DISPOSAL CONSIDERATIONS

Waste must be disposed of in accordance with federal, state, and local environmental control regulations. Incineration is the preferred method of disposal.

14. TRANSPORT INFORMATION

Uniplex 810 is not regulated by DOT.

15. REGULATORY INFORMATION

Uniplex 810 is not a hazardous substance as defined by OSHA (29 CFR 1910.1200).

Uniplex 810 is registered on the "Toxic Substances Control Act Chemical Substance Inventory" (TSCA Inventory).

16. OTHER INFORMATION

MSDS Status: Update to ANSIZ400.11-1993 format.

	HAZARD RATINGS	
	NFPA	HMIS
Health	1	1
Flammability	1	1
Reactivity	0	0

Revision Summary:

1/26/98 - J. Day

8/3/98 - J. Day (Area Code Chg.)

6/23/09 – D.Young