

MATERIAL SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: Uniplex DOS

Synonyms: Di(2-Ethylhexyl) Sebacate, Dioctyl Sebacate

MANUFACTURER:

Unitex Chemical Corporation
520 Broome Road
P.O. Box 16344
Greensboro, NC 27406

EMERGENCY TELEPHONE NUMBERS:

Emergency Telephone Number: CHEMTREC 1 (800) 424-9300
International 1 (703) 527-3887
Telephone Number for Information:
(336) 378-0965 (Monday - Friday 8:00 a.m. - 5:00 p.m.)

2. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Components</u>	<u>% (optional)</u>	<u>OSHA PEL</u>	<u>ACGIH TLV</u>	<u>CAS NO.</u>
Di(2-Ethylhexyl) Sebacate	> 99%	Not Established		122-62-3

3. HAZARDS IDENTIFICATION

Emergency Overview: Do not breathe vapors; do not ingest; avoid contact with skin, eyes, or clothing. Wash thoroughly after handling; do not eat, drink, or smoke in work areas.

Potential Health Effects: May cause skin irritation. Inhalation of mist may cause irritation to the respiratory tract.

Eye Contact: May cause burning sensation, irritation accompanied with pain and corneal or conjunctival ulceration in severe cases.

Skin Contact: May cause irritation, stinging, redness, and some swelling.

Ingestion: May cause severe burning in the mouth and digestive tract.

Chronic: None known.

Product Name: Uniplex DOS

4. FIRST AID MEASURES

Inhalation: Remove to fresh air if coughing, soreness in respiratory tract, chest tightness, or difficulty in breathing occurs.

Eye Contact: Immediately flush with large quantities of water for at least 15 minutes, while holding the eyelids open. Do not attempt to neutralize with chemical agents. Contact a physician if irritation persists.

Skin Contact: Immediately remove contaminated clothing and flush area with large quantities of water for at least 15 minutes. Contact a physician if irritation persists.

Ingestion: If patient is conscious, give several glasses of water for dilution effect and contact a physician. Do not induce vomiting. Do not give an unconscious person anything by mouth.

5. FIRE FIGHTING MEASURES

Flash Point: 440°F Cleveland Open Cup

Autoignition Temperature: 500°F

General Hazard: Treat as burning oil.

Fire Fighting Instructions: Extinguishing media--water fog or spray; carbon dioxide; foam; or earth and mud.

Hazardous Combustion Products: Oxides of Carbon.

6. ACCIDENTAL RELEASE MEASURES

Land Spill: Evacuate area of nonessential personnel. Ventilate area as required. Prevent spill from entering drinking water supplies or streams.

Water Spill: Remove product layered on water by mechanical means. Place spill in appropriate container for disposal in approved facilities.

7. HANDLING AND STORAGE

Storage Temperature: Ambient Storage Pressure: Pressureless

General: Store in cool, dry, and well-ventilated area. Keep containers closed.

Product Name: Uniplex DOS

8. EXPOSURE CONTROL/PERSONAL PROTECTION

Engineering Controls: Control to comfort level.

Personal Protection: Splash-proof goggles with rubber, PVC, or impervious chemical gloves.

Respirator: None required. Use NIOSH organic vapor cartridge respirator for remediation of large spills.

Protective Clothing: Impervious chemical clothing for remediation of large spills.

9. PHYSICAL AND CHEMICAL PROPERTIES

Vapor Pressure:	<u>ND</u>	Vapor Density (Air = 1):	<u>>10</u>
Specific Gravity:	<u>0.908 - 0.916</u>	Evaporation Rate :	<u><0.05</u>
Solubility in Water:	<u>Insoluble</u>	Freezing Point :	<u>ND</u>
pH:	<u>NA</u>	Odor :	<u>Characteristic</u>
Boiling Point:	<u>ND</u>	Appearance :	<u>Clear, colorless liquid</u>
Viscosity:	<u>ND</u>	Physical State :	<u>Liquid</u>

10. STABILITY AND REACTIVITY

General: Stable

Incompatible Materials and Conditions to Avoid: None known

Hazardous Decomposition: None known

11. TOXICOLOGICAL INFORMATION

None established. Not listed as a carcinogen by IARC, ACGIH, NTP, or OSHA.

12. ECOLOGICAL INFORMATION

None known.

Product Name: Uniplex DOS

13. DISPOSAL CONSIDERATIONS

This product is registered by TSCA and DSL (Canada). The product should be incinerated, according to state Federal regulations.

14. TRANSPORT INFORMATION

Nonhazardous; not regulated by DOT.

15. REGULATORY INFORMATION

This product is registered by TSCA. Uniplex DOS is not a hazardous substance as defined by OSHA (20 CFR 1910.1200).

16. OTHER INFORMATION

No specific notes.

MSDS Status: Update to ANS1Z400.1-1993 format.

	HAZARD RATINGS	
	NFPA	HMIS
Health	1	1
Flammability	1	1
Reactivity	0	0

Revision Summary:

3/11/97 - J. Day

10/9/98 -J. Day Area Code

5/11/04 – J. Day

6/23/09 – D.Young